

preserve vision

OptoSLT M

#### preserve vision

#### OptoSLT M

Selective Laser Trabeculoplasty (SLT) is an advanced, non-invasive primary or secondary treatment of increased intraocular pressure. It employs short pulses of specific wavelength that selectively target the melanin-containing cells in the trabecular meshwork while preserving the adjacent non-pigmented eye structures. Lowenergy laser irradiation evokes cytokines response what consequently activates the macrophages which clear the damaged cells. Increased trabecular meshwork porosity restores balanced aqueous outflow and lowers the intraocular pressure.

#### UNRIVALED **SLT** LASER SYSTEM

The OptoSLT M is a staple of glaucoma treatment for every doctor's practice. Compact design, 33 energy levels in the range of 0.2 to 2,6 mJ, a red aiming beam allowing precise focusing of the treatment beam, and built-in safety features ensure quick, safe and effective office-based SLT treatment.

## e-SlitLight™ HIGH POWER LED ILLUMINATION SYSTEM

Tired of replacing slit lamp bulb? Want to have a brighter light? The e-SlitLight™ LED slit lamp offers thousands of hours of bright white light originating from the solid state LED light source. The LED illumination enhances color, detail and contrast and therefore significantly improves imaging. Additionally, its minimal heat emission makes the treatment comfortable even for dry eye patients.






## FES™ - Fine Energy Setting FOR UNMATCHED PRECISION

Advanced technical solutions and sophisticated electronics incorporated into the OptoSLT M allow for a precise adjustment of energy in order to match the specific needs of the therapy or the patient. The fine energy setting buttons are conveniently located just next to the joystick, offering the physician easy and accurate adaptation of energy to the patient's eye response.



## PPS™ - Pulse to Pulse Stability FOR ADVANCED SAFETY

Optotek has spent extra time and effort to ensure highest reliability and safety of the system. The OptoSLT M incorporates a PPS™ technology for delivering stable output energy far exceeding current industry standards. Enhanced accuracy and stability of energy provide the highest degree of safety and assure effective and efficient eye treatments.





# preserve vision

#### TECHNICAL SPECIFICATIONS

| ASER                      |  |
|---------------------------|--|
| Laser Source              | Q switched, frequency doubled Nd:YAG   |
| Wavelength                | 532 nm   |
| Energy                    | 0,2 to 2,6 mJ per pulse in 33 steps  |
| Spot Size                 | 400 μm   |
| Cone Angle                | < 3°   |
| Pulse Rate                | Up to 3 Hz   |
| Burst Mode                | Single pulse   |
| Pulse Duration            | 4 ns (typical)   |
| Aiming Beam               | Red diode; 650 nm; continuously adjustable intensity (635, 670 nm optionally)                                  |
| Laser Trigger             | Joystick (footswitch optionally)   |
| Cooling System            | Air convection   |
| SLIT LAMP                 |  |
| Туре                      | e-SlitLight™   |
| Illumination Source       | White LED  |
| Magnification             | 10x, 16x, 25x (6x, 10x, 16x, 25x, 40x optionally)  |
| TABLE                     |  |
| Туре                      | Central mounted  |
| Dimensions                | 600 x 480 mm   |
| SYSTEM DIMENSIONS         |  |
| SLT Laser Head Dimensions | 240 x 150 x 60 mm  |
| Total System Height       | 695 – 730 mm   |
| WEIGHT                    |  |
| Total Net Weight          | 21 kg  |
| ELECTRICAL REQUIREMENTS   |  |
| Power Supply              | 100 - 240 V, 50 - 60 Hz, 1,1 A MAX   |
| ACCESSORIES               |  |
| Optional Accessories      | Motorized lifting mechanism, Footswitch, Elbow support, Beam splitter with co-observation tube, Warning light, |

Specifications are subject to change without notice.













With many years of experience in ophthalmic lasers, Optotek has a clear vision of its mission – to deliver the innovative tools and solutions to the ophthalmologists worldwide.

Designing and manufacturing User-friendly, Safe, Effective, and Reliable products is a key element of Opototek's corporate philosophy.

